

2FT QUATTRO EMERGENCY EXPLOSION PROOF LIGHT

VOL-EEP-060-CW-2FT



SECTION 1: SPECIFICATIONS

POWER	60W
VOLTAGE	85-277V
RATED FREQUENCY	50Hz/60Hz
LIGHT OUTPUT	6000 lm
CCT	5700 K
BEAM ANGLE	180°
DIMENSION	2 FT
RUN TIME	2.5-3 HRS
IP RATING	90
OPERATING TEMPERATURE	-40°-55° C
HOUSING MATERIAL	HEAVY DUTY COPPER FREE ADC12 AL ALLOY

CERTIFICATIONS

RoHS
Compliant




SECTION 2: OTHER CERTIFICATIONS MET

THE ANTI-COROSION, ABRASION PROOF, POWER COATED COVER WHICH IS DUST PROOF AND WATER PROOF, MAKE THE LAMP AN EXCELLENT CHOICE FOR ALL KINDS OF HIGH STRESS SITUATIONS

SHOW AND VIBRATION RESISTANT TEMPERED GLASS, SUPER CLEAR 95% LIGHT TRANSMIT RATE

SURFACE TREATMENT - POWER PAINTED, SALT RESISTANT


SECTION 3: DIMENSIONS




SECTION 4: MOUNTING OPTIONS




Pipe clamp



Wall mount




Stanchion mount



Clamp mount



Ceiling Mount



Pendant Mount